

PL-BP2-6

Overview

The PL-BP2-6 is a compact and versatile battery-powered LED lighting fixture designed for professional stage, event, and architectural applications. Featuring 6 high-performance 18W RGBWA-UV LEDs, it delivers rich color mixing and uniform output.

With built-in wireless control, WiFi capability, and a high-capacity rechargeable battery, the PL-BP2-6 offers flexible installation without the need for complex cabling. Its robust construction, multiple beam angle options, and smooth dimming performance make it ideal for indoor events, uplighting, and mobile lighting setups.

Product Specification

Items	Details	Items	Details
Product Type	6×18W 6-in-1 LED Battery Light	DMX Connection	3-pin XLR in/out
Power Supply	AC 90–260V, 50/60Hz	Dimensions	188 × 160 × 275 mm
Power Consumption	100W	Weight	3.9 kg
Light Source	6 × 18W RGBWA-UV LEDs	IP Rating	IP20
LED Lifetime	50,000 hours		
Beam Angle	25° (optional 15° / 40° / 60°)		
Dimmer	0–100% linear		
Strobe	0–20 FPS		
Control Mode	DMX512, WiFi, Remote Control		
DMX Controller	'6/10		
Display	Digital display		
Battery Capacity	10000mAh		
Charging Time	4 hours		
Power Supply Type	Constant current		

Feature

- 6 × 18W RGBWA-UV 6-in-1 LEDs
- Built-in rechargeable battery (10000mAh)
- Wireless control: WiFi & remote control
- Flexible beam angles: 25° (optional 15° / 40° / 60°)
- Smooth 0–100% linear dimming
- Strobe effect up to 20 FPS
- Compact design for mobile and installation use
- DMX512 control with 6 / 10 channels
- Digital display for easy operation

